DETERMINISTIC TENSORIAL GENERATIVE FRAMEWORK:

THE POINCARÉ CONJECTURE**

Author: Tyrone Farmer

Date: January 8, 2026

Formal Statement

Every simply connected, closed 3-manifold is homeomorphic to the 3-sphere S^3.

DTGF Setup

Define the Deterministic Tensorial Generative Framework as the quadruple

\mathcal{T}_P = (M, \mathcal{G}, \Sigma, \vdash),

where:

- M is a smooth, compact, triangulated 3-manifold.
- \mathcal{G} is a normalized Ricci quasigroup acting on the space of Riemannian metrics on M.
- \Sigma is a deterministic surgery oracle enforcing preservation of trivial fundamental group,

  \pi_1(M) = e.

- \vdash is a homeomorphism trigger indicating convergence to a canonical topological class.

This framework encodes metric evolution, topological control, and convergence detection within a single deterministic formalism.

Invariant

For any admissible deformation \delta preserving compactness and simple connectedness, define the lattice invariant

\mathcal{L}_\delta M = 0.

This invariant prevents escape from the class of compact, simply connected 3-manifolds under all allowed evolutions governed by \mathcal{T}_P.

Flow Definition

Let \Phi_t denote the normalized Ricci flow with surgery:

\partial_t g = -2\,\mathrm{Ric} + \frac{4}{3} r g,

where r is the average scalar curvature.

The flow is:

- deterministic,
- forward-only,
- globally defined in time via surgery,
- and total over the admissible manifold class.

Surgery is applied precisely at singularities to maintain metric regularity and topological invariance.

Argument Structure

1. Begin with M, a compact, simply connected 3-manifold.
2. Evolve M under the normalized Ricci flow \Phi_t.
3. Upon formation of a singularity, perform neck excision and cap with a 3-ball via \Sigma; simple connectedness is preserved.
4. Entropy is monotone decreasing while total volume remains normalized.
5. The invariant \mathcal{L}_\delta M = 0 prevents deformation outside the admissible class.
6. Long-time behavior admits only spherical space forms as attractors.
7. Trivial fundamental group excludes nontrivial connected sums.
8. The only remaining topological class is that of the 3-sphere.

Result

M \approx S^3.

\text{Q.E.D.}

Validation Conditions

- Finite number of surgeries.
- Monotonic entropy throughout evolution.
- Preservation of compactness and simple connectedness.
- No topological leakage outside the admissible DTGF class.

Compliance Documentation (DTGF)

This document does not assert a new proof of the Poincaré Conjecture. It serves as a structural compliance appendix demonstrating consistency between classical Ricci-flow-with-surgery results and the Deterministic Tensorial Generative Framework (DTGF).

Specifically, this appendix:

- Attaches a tensorial mapping framework aligning Ricci flow dynamics with DTGF evolution rules.
- Demonstrates internal consistency between DTGF invariants and known topological constraints.
- Provides a formal compliance bridge rather than an independent derivation.

End of Document